



The mark of responsible forestry



Bringing your garden to life









20 - 21

22 - 23

24

25

26 - 27

CONTENTS

2

Contents	LAP PANELS AND GATES	4 - 5	SHROPSHIRE PANELS
	FEATHEREDGE PANELS AND GATES	6 - 9	NEWPORT PANEL AND GATE
	WICKET PANELS AND GATES	10 - 11	SQUARE TRELLIS PANELS
	SUSSEX PANELS AND GATES	12 - 13	LINCOLN TRELLIS PANELS
	YORK PANELS AND GATES	14 - 15	DIAMOND TRELLIS PANELS

16 - 17



DEVON PANELS AND GATES

LAP PANELS AND GATES

H H

Ħ

Ħ

Ħ

Lap fencing panels are the most common form of fencing in the UK. But economy doesn't mean a reduction in quality. Our superlap "5&5" panel is one of the most robust on the market, and Lap panels remain the industry standard on new housing developments. The heavy duty nature of its construction makes this panel excellent value for money. Adding a trellis on top adds a decorative touch. Available in Autumn Gold or pressure treated Dark Brown and Green.

state of the second second	-	A CONTRACTOR	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
2	10	0	And the second s
		States of States of States	CONTRACTOR OF STREET
	and the second	and the second s	208
			-
			The sub-
1	1		
T. C. C. C. C.	2	Long to the local division of the local divi	
-	5		-
1	1=		
1 7 1			-
1 23	1000	Territoria	
	1000	- eq.	
	- V	- Comment	And and a state of the state of
- Charles	-	-	10
	-	and the second division of the second divisio	
	- Stan		2
	-	A DECEMBER OF THE PARTY OF	
to and		The second second	All and a second second

11 2 2 2 2	0	
Statements of	-	Contraction of the local division of the
Sector Sector Sector	and the second second	Constitution (make)
Column	STREET, STREET	Contraction (C.S.) Proceedings
- Contractory of the	The second second	Contraction of the local division of the loc
successive the		CALIFORNIA ST. Later Concerns
1 1 1 1 1 1	Contraction of the local division of the loc	A DESCRIPTION OF THE OWNER OWNER OF THE OWNER OWNER OF THE OWNER OWNER OWNER OF THE OWNER OWN
and the second second		the second se
1		the second se
and the second second		and the second se
And in case of the local division of the loc	COLUMN STATEMENT	A CONTRACTOR
and the second se	The same	And a state of the
	4.4	and the second s
1 1	and the second second	Contraction of the local division of the loc
1 1	States of the local division of the	CONTRACTOR OF STREET,
marine	State of Longers	Contraction of the second
and the second s	and A manual	State of the local division of the local div
	ALC: NOTE: THE	al and the second second second
A COLUMN A	and the second	17 - 1
the second second	D. Com	And the second se
4	2.0	a second second
	Submittee on Submittee of	
The second se	Service and Address	ALCONOMIC DE LA CONTRACTORIO DE LA C
Service and Party of the	A	Statement of the local division of the local

Pressure Treated Green

Pressure Treated Brown



LAP PANELS

Product Specifications:

Description	Code
6' Lap Panel	P6L
5' Lap Panel	P5L
4' Lap Panel	P4L
3' Lap Panel	P3L
2' Lap Panel	P2L

Dimensions

ğıl danatı darakatır

1828 x 1828mm 1524 x 1828mm 1218 x 1828mm 915 x 1828mm 610 x 1828mm



Autumn Gold

LAP GATES Product Specifications:

Description 6' Lap Gate **Code** P6LG

Dimensions 1828 x 915mm

Autumn Gold

FEATHEREDGE PANELS AND GATES

6



STANDARD FEATHEREDGE

Featheredge fencing has a solid structure capable of braving the worst weather conditions, providing a strong and durable boundary to your property. Available in Autumn Gold or pressure treated Dark Brown and Green.





STANDARD FEATHEREDGE PANELS

Code

P6F

P5F

P4F

P3F

P2F

Product Specifications:

Description		
6' F/edge Panel		
5' F/edge Panel		
4' F/edge Panel		
3'F/edge Panel		
2' F/edge Panel		

Dimensions 1828 x 1828mm 1524 x 1828mm 1218 x 1828mm 915 x 1828mm 610 x 1828mm



FEATHEREDGE GATES Product Specifications:

Description Square top F/edge gate Arch top F/edge fate

Code PSTFG PATFG Dimensions 1750 x 900mm 1750 x 900mm

FEATHEREDGE PANELS AND GATES

8



FULLY FRAMED FEATHEREDGE

This panel is the most enduring of our manufactured range being framed all around. Fully framed panels are available in Autumn Gold or Pressure Treated Dark Brown and Green.





FULLY FRAMED F/EDGE PANELS Product Specifications:

Description 6' F/edge Panel 5' F/edge Panel 4' F/edge Panel 3' F/edge Panel Dimensions 1828 x 1828mm 1524 x 1828mm 1218 x 1828mm 915 x 1828mm



PRESSURE TREATED F/EDGE GATES Product Specifications:

Description Square Top F/edge Gate Arch Top F/edge Gate

Code PSTFG PATFG

Dimensions 1750 x 900mm 1750 x 900mm

Rear view Pressure Treated Brown

Also available in Autumn Gold

Code

P6FF

P5FF

P4FF

P3FF

Pressure Treated Green

WICKET PANELS AND GATES



Wicket panels are the ideal fencing to edge your front garden or as a rear garden divide. The wicket fence range is a great fence for maintaining openness in your garden without compromising your property boundaries. All pressure treated green, with rounded or pointed pales.

Code P4WGR P3WGR P2WGR



ROUND TOP WICKET PANELS Product Specifications:

Description

4' Rounded Wicket Panel 3' Rounded Wicket Panel 2' Rounded Wicket Panel

Code	Dimensions
P4WPR	1200 x 1828mm
P3WPR	900 x 1828mm
P2WPR	600 x 1828mm

ROUND TOP WICKET GATES Product Specifications:

Description	
4' Rounded Wicket Gate	
3' Rounded Wicket Gate	
2' Rounded Wicket Gate	

Dimensions
1200 x 1000mm
900 x 1000mm
600 x 1000mm

POINTED TOP WICKET PANELS

Product Specifications:

Description 4' Pointed Wicket Gate

3' Pointed Wicket Gate 2' Pointed Wicket Gate Dimensions 1200 x 1828mm 900 x 1828mm 600 x 1828mm

Code

P4WP

P3WP

P2WP



POINTED TOP WICKET GATES

Product Specifications:

Description

4' Pointed Wicket Gate 3' Pointed Wicket Gate 2' Pointed Wicket Gate

Code P4WG P3WG

P2WG

Dimensions 1200 x 1000mm 900 x 1000mm 600 x 1000mm

SUSSEX PANELS AND GATES

12



Manufactured in Europe from selected softwood and pressure treated green. These stylised panels are ideal along shared boundaries as the panels are identical on both sides, they also look impressive surrounding decked areas. Shoulder height has a drop of 200mm with 50mm lattice gaps.



SUSSEX WAVE PANELS **Product Specifications:**

Description Code 6' Sussex Wave 5' Sussex Wave 4' Sussex Wave 3' Sussex Wave EUSW3

- 11	im	nnc	ions	
		ens	II UI IS	
_				

EUSW6 1800 x 1800mm EUSW5 EUSW4

1500 x 1800mm 1200 x 1800mm 900 x 1800mm

SUSSEX ARCH PANELS

Product Specifications:

and the second			
1	Description	Code	Di
H.F	6' Sussex Arch	EUSA6	18
	5' Sussex Arch	EUSA5	15
- and	4' Sussex Arch	EUSA4	12
	3' Sussex Arch	EUSA3	9

Code

EUSO6

EUSO5

EUSO4

EUSO3

imensions

USA6	1800 x 1800mm
USA5	1500 x 1800mm
USA4	1200 x 1800mm
USA3	900 x 1800mm



SUSSEX GATE

Product Specifications:

Description Sussex Arch Gate

Code EUSGA Dimensions 1800 x 900mm



SUSSEX OVAL PANELS

Product Specifications:

Description	
6' Sussex Oval	
5' Sussex Oval	
4' Sussex Oval	
3' Sussex Oval	

- ·	
l)ime	nsions
Dunc	11010110

1800 x 1800mm 1500 x 1800mm 1200 x 1800mm 900 x 1800mm

YORK PANELS AND GATES

4 Fencing I



This panel is assembled using unusually decorative, diagonal boards, inset into a rebated frame creating a chevroned look. It is identical on both sides so ideal for shared borders. Manufactured in Europe from selected softwood and pressure treated Green. The arch and wave top models have a 200mm drop at shoulder height.



YORK FLAT PANELS Product Specifications:

Description
6' York Flat
5' York Flat
4' York Flat
3' York Flat

Description

6' York Wave 5' York Wave 4' York Wave 3' York Wave

1	Code
	EUYF6
	EUYF5
	EUYF4
	EUYF3

Code

Dimensions 1800 x 1800mm 1500 x 1800mm 1200 x 1800mm 900 x 1800mm



YORK WAVE PANELS

Product Specifications:

Dimensions

	1000 x 1000 mm
EUYW6	1800 x 1800mm
EUYW5	1500 x 1800mm
EUYW4	1200 x 1800mm
FLIYW3	900 x 1800mm



YORK GATES Product Specifications:

Description York Flat Gate York Arch Gate

Code EUYGF EUYGA

Dimensions 1800 x 900mm 1800 x 900mm



YORK ARCH PANELS

Product Specifications:

Description	Code
6' York Arch	EUYA6
5' York Arch	EUYA5
4' York Arch	EUYA4
3' York Arch	EUYA3

_	-		
D	imer	ISIO	าร
_			•••

1800 x 1800mm 1500 x 1800mm 1200 x 1800mm 900 x 1800mm



These stylish and elegant fencing panels are an eye-catching addition to any garden. Framing the boundary in a modern and chic way these panels are identical on both sides with a 200mm drop at shoulder height for the arch and wave top models.



DEVON FLAT PANELS Product Specifications:

Description 6' Devon Flat 3' Devon Flat Code EUDF6 EUDF3 **Dimensions** 1800 x 1800mm 900 x 1800mm



DEVON ARCH PANELS Product Specifications:

Code

EUDA6

EUDA3

Description 6' Devon Arch 3' Devon Arch Dimensions 1800 x 1800mm 900 x 1800mm



DEVON GATES Product Specifications:

Description Devon Flat Gate Devon Arch Gate

Code EUDGF EUDGA

Dimensions 1800 x 900mm 1800 x 900mm



DEVON WAVE PANELS

Product Specifications:

Description 6' Devon Wave 3' Devon Wave

Code EUDW6 EUDW3 Dimensions 1800 x 1800mm 900 x 1800mm

Icing

AVON SLATTED PANELS AND GATE

These contemporary and very much in-vogue, slatted fencing panels will add a bright and modern touch to any garden. They can be used as a boundary fence or as an alternative to a traditional trellis panel topper. A sleek addition to any of our pressure treated green, more traditional panel range.







Description

6' Avon Slatted 3' Avon Slatted 2' Avon Slatted 1' Avon Slatted

Code EUAS6 EUAS3 EUAS2 EUAS1

AVON SLATTED PANELS Product Specifications:

Dimensions 1800 x 1800mm 900 x 1800mm 600 x 1800mm

300 x 1800mm



AVON SLATTED GATE Product Specifications:

Description Avon Slatted Gate

ate EUAGF

Dimensions 1800 x 900mm



20



The clean looking construction of this panel makes it an ideal border to any contemporary garden. A great alternative to trellis affording that little bit more privacy whilst still maintaining openness. The open slats make this an ideal fence panel for exposed locations too as it allows the wind to pass through easily, pressure treated green. This panel is 70mm thick with a strong construction, making it heavy duty and very sturdy!



SHROPSHIRE PANELS

Product Specifications:

DescriptionCode6' Shropshire FlatEUSH063' Shropshire FlatEUSH03

Dimensions 1800 x 1800mm 900 x 1800mm

NEWPORT PANEL AND GATE

Fencing Product

22



This is the ideal fence to edge your front garden with an attractive decorative trellis to the top. Perfect for adding a more pronounced border to your decked area. Pressure treated Green. Gate available to match.





NEWPORT CROSS TOP PANEL

Product Specifications:

Description Newport Panel

Code EUCT900 Dimensions 900 x 1800mm



NEWPORT CROSS TOP GATE

Product Specifications:

Description Newport Gate

Code EUCTG Dimensions 900 x 900mm **Trellis Products**

SQUARE TRELLIS PANELS

Pressure Treated Brown and Green

LINCOLN TRELLIS PANELS

The bow and dome topped trellis can be combined to create an eye catching <u>fence feature</u>. Lattice gaps 40mm.



Code EULX



SQUARE TRELLIS Product Specifications:

Trellis fencing is very versatile in that it can be a stand alone fence, wall

mounted plant support or an aesthetic top to any of our square panels. Heavy Duty construction with a 100mm interior spacing. Available in Autumn Gold,

	Description
P	6' Square Trellis
	5' Square Trellis
H	4' Square Trellis
Η	3' Square Trellis
H	2' Square Trellis
P	1' Square Trellis

Dimensions
1828 x 1828mm
1524 x 1828mm
1218 x 1828mm
915 x 1828mm
610 x 1828mm
305 x 1828mm

Code P6T

P5T

P4T

P3T

P2T

P1T



WAVE TRELLIS

Product Specifications:

Description Diamond Trellis Lincoln Wave CodeDimensionsEULW1800 x 1828mm



TRELLIS

Product Specifications:

Description	
Diamond Trellis Lincoln Dome	

Dimensions 1800 x 1828mm



BOW TRELLIS Product Specifications:

Description Diamond Trellis Lincoln Bow Code | Dimensions EULV | 1500 x 1828mm **Trellis Product**

DIAMOND TRELLIS PANELS

Planed and pressure treated green, our Diamond Trellis range is an eye catching addition to any garden. It can be used for creating boundaries as well as for adding a touch of privacy within your garden. They also make an attractive and decorative addition to the top of any flat topped panel. Lattice gaps are 40mm.

DIAMOND TRELLIS

Product Specifications:

Description	
Description	

1' Diamond	Trellis Square
------------	----------------

- 2' Diamond Trellis Square
- 3' Diamond Trellis Square
- 6' Diamond Trellis Square

Code	Dimensions
EDTS300	300 x 1828mm
EDTS600	600 x 1828mm
EDTS900	900 x 1828mm

DIAMOND TRELLIS BOW TOP Product Specifications:

Description

1' Diamond Trellis Bow Top 18" Diamond Trellis Bow Top 2' Diamond Trellis Bow Top

oouc
EDTV300
EDTV450
EDTV600

Code

EDTS1828



1828 x 1828mm

Dimensions 300/150/300 x 1828mm 450/300/450 x 1828mm

600/450/600 x 1828mm

DIAMOND TRELLIS DOME TOP

Product Specifications:

Description	Code
1' Diamond Trellis Dome Top	EDTX300
18" Diamond Trellis Dome Top	EDTX450
2' Diamond Trellis Dome Top	EDTX600



Dimensions

150/300/150 x 1828mm 300/450/300 x 1828mm 450/600/450 x 1828mm

DIAMOND TRELLIS WAVE TOP Product Specifications:

Description


1' Diamond Trellis Wave Top 18" Diamond Trellis Wave Top 2' Diamond Trellis Wave Top

Code EDTW300 EDTW450 EDTW600



Dimensions 150/300/150 x 1828mm

300/450/300 x 1828mm 450/600/450 x 1828mm



900MM WIDE DIAMOND TRELLIS

Ideal as a small screen panel or an addition to each side of an arch or arbour.

Product Specifications:

3. 900mm Trellis Bow Top

Description		
1. 900mm Trellis Dome Top		
2. 900mm Trellis Wave Top		

Code EDTX915 EDTW915 EDTV900

Dimensions
1700/1800/1700 x 900mm
1700/1800/1700 x 900mm
1800/1700/1800 x 900mm



It must be remembered that timber is a natural product and it will be subject to natural movement and weathering as it seasons. It is not uncommon for small splits to occur in timber during the drying out process, and for warping to occur when timber is allowed to dry too rapidly. These will normally go back when moisture levels rise. This is nature at work and should not be considered a fault.

All TAFS panels are supplied with a 10 year guarantee against rot, subject to the panel having no direct ground contact. Any alteration to the panel as supplied will negate the guarantee and any warranty provided.

WE ARE LOCATED AT:

Address: Gower Street, St Georges Telford, Shropshire, TF2 9BQ

Tel: 01952 617072

Email: sales@tafs-salop.ltd.uk

Website: www.tafs-salop.ltd.uk



The mark of responsible forestry